



Typical installation with ICF valve stations



ICF nomenclature




Common ICF applications

Application #1 is typically used for: Pumped liquid lines in flooded systems without hot gas defrost

| Application #1 has the following valve functions: Stop valve, strainer, solenoid with manual stem, HEV, stop valve | | | | | |
|--|----------|----------|---------|--|--|
| Type Connection Part No.* List Price * | | | | | |
| ICF20-6-1RA | 3/4" SW | 027L3005 | \$1,628 | | |
| ICF20-6-1RA | 1" SW | 027L3007 | \$1,710 | | |
| ICF20-6-1HRB | 1" SW | 027L3408 | \$2,110 | | |
| ICF20-6-1HRB | 1¼" SW | 027L3409 | \$2,210 | | |
| ICF25-6-1RA | 1" SW | 027L4003 | \$2,132 | | |
| ICF25-6-1RB | 11⁄4" SW | 027L4013 | \$2,238 | | |
| ICF25-6-1RB | 1½" SW | 027L4017 | \$2,391 | | |

^{*} Price does not include coil. Coil must be ordered separately; see page 24 for coil ordering.

Application #1 example: ICF 25-6-1RA





Application #2 and 3 are typically used for: Pumped liquid lines in flooded systems with hot gas defrost

| Application #2 has Stop valve, strainer | | | op/check valve |
|--|-------------------------|------------|---------------------|
| Туре | Connection Type/Size | Part No. * | List Price * |
| ICF20-6-2RA | 3/4" SW | 027L3014 | \$1,710 |
| ICF20-6-2RA | 1" SW | 027L3016 | \$1,795 |
| ICF20-6-2HRB | 1" SW | 027L3412 | \$2,216 |
| Application #3 has Stop valve, strainer, | - | | ve, HEV, stop valve |
| Туре | Connection Type/Size | Part No. * | List Price * |
| ICF20-6-3HRB | 1" SW | 027L3416 | \$2,216 |
| ICF25-6-3RA | 1" SW | 027L4021 | \$2,239 |

027L4031

027L4035

\$2,350

\$2,535


11/4" SW

11/2" SW


ICF25-6-3RB

ICF25-6-3RB

Application #2 example: ICF 20-6-2RA



Application #3 example: ICF 25-6-3RB



Application #9 and 10 are typically used for: Hot gas defrost lines

| Application #9 has Stop valve, strainer, | | | alve |
|--|-------------------------|------------|--------------|
| Type | Connection | Part No. * | List Price * |
| ,, | Type/Size | | |
| ICF15-4-9H | 1/2" SW | 027L4527 | \$1,278 |
| ICE20 4 011 | 3/4" SW | 027L3351 | \$1,447 |
| ICF20-4-9H | 1" SW | 027L3336 | \$1,519 |
| | 1" SW | 027L4064 | \$1,724 |
| ICF25-4-9 | 11/4" SW | 027L4069 | \$1,847 |
| | 1½" SW | 027L4073 | \$2,051 |
| ICF50-4-9S32 | 1½" SW | 148X1505 | \$2,419 |
| 10550 4 0040 | 1½" SW | 148X1514 | \$2,469 |
| ICF50-4-9S40 | 2" SW | 148X1519 | \$2,574 |
| ICF50-4-9S50 | 2" SW | 148X1500 | \$2,768 |
| Application #10 ha Stop valve, strainer, | | | |
| Type | Connection Type/Size | Part No. * | List Price * |
| ICF20-4-10HRB | 3/4" SW | 027L3404 | \$1,447 |
| ICF25-4-10RA | 1" SW | 0271 4077 | \$1,724 |

027L4087

027L4091

148X1524

148X1525

\$1,847

\$2,051

\$2,419

\$2,574

1¼" SW

1½" SW

1½" SW


2" SW

ICF25-4-10RB


ICF50-4-10S32

ICF50-4-10S40

Application #9 example: ICF 25-4-9



Application #10 example: ICF 25-4-10RB



Common Coils *

| Voltage | Electrical Connection | Part No. | List Price |
|---------|-----------------------|----------|------------|
| 110 AC | Terminal box | 018F6813 | \$50 |

^{*} For other coil voltages and types, see p. 24

^{*} Price does not include coil. Coil must be ordered separately; see page 24 for coil ordering.

^{*} Price does not include coil. Coil must be ordered separately; see page 24 for coil ordering.




Application #5 is typically used for: Liquid make-up or direct expansion applications

Application #5 has the following valve functions:

Stop valve, strainer, solenoid with manual stem, motorized ICM valve, stop valve

| | | Part Nu | mber * | List F | Price * |
|---------------|-------------------------|-----------------|--------------------|----------------------|----------------------|
| Туре | Connection Type/Size | Valve w/o Motor | ICAD 600A Motor | Valve w/o Motor * | ICAD 600A Motor * |
| ICF20-6-5MA33 | 3/4" SW | 027L3154 | 027X0166 | \$2,971 | \$1,996 |
| ICF20-6-5MA | 3/4" SW | 027L3038 | 027X0166 | \$2,971 | \$1,996 |
| ICF20-6-5MA | 1" SW | 027L3040 | 027X0166 | \$3,119 | \$1,996 |
| ICF20-6-5MB66 | 3/4" SW | 027L3159 | 027X0166 | \$2,971 | \$1,996 |
| ICF20-6-5MB66 | 1" SW | 027L3160 | 027X0166 | \$3,119 | \$1,996 |
| ICF20-6-5MB | 3/4" SW | 027L3127 | 027X0166 | \$2,971 | \$1,996 |
| ICF20-6-5MB | 1" SW | 027L3045 | 027X0166 | \$3,119 | \$1,996 |
| ICF20-6-5HMB | 1" SW | 027L3326 | 027X0166 | \$3,152 | \$1,996 |
| ICF20-6-5HMC | 1" SW | 027L3330 | 027X0166 | \$3,152 | \$1,996 |
| ICF20-6-5HMC | 11⁄4" SW | 027L3331 | 027X0166 | \$3,309 | \$1,996 |
| ICF25-6-5MA | 1" SW | 027L4039 | 027X0166 | \$3,669 | \$1,996 |
| ICF25-6-5MA | 11⁄4" SW | 027L4044 | 027X0166 | \$3,852 | \$1,996 |
| ICF25-6-5MA | 1½" SW | 027L4132 | 027X0166 | \$4,114 | \$1,996 |



Application #5 example:

Common Coils *

| Voltage | Electrical Connection | Part No. | List Price |
|---------|-------------------------------------|----------|------------|
| 110 AC | Terminal box | 018F6813 | \$50 |
| 110 AC | Terminal box with GREEN pilot light | 018F6816 | \$94 |

^{*} For other coil voltages and types, see p. 24

^{*} ICF valve and ICAD 600A motor actuator must be ordered separately when ordering. ICAD 600A motor actuator is required for the motor valve to operate. Coil price not included.



Application #12, 13, and 90 are typically used for: Direct expansion applications with pulse width modulating valves

| Application #12 has the following valve functions: Stop valve, strainer, pulse expansion valve, stop valve | | | | | |
|---|-------------------------|-----------|--------------|--|--|
| Туре | Connection Type/Size | Part No.* | List Price * | | |
| ICF15-4-12 | 1/2" SW | 027L4528 | \$1,443 | | |
| ICF20-4-12 | 3/4" SW | 027L3091 | \$1,612 | | |

^{*} Price does not include coil. Coil must be ordered separately; see page 24 for coil ordering.

| Application #13 has the following valve functions: Stop valve, strainer, pulse expansion valve, stop/check valve | | | | | |
|---|---------|----------|---------|--|--|
| Type Connection Part No.* List Price * | | | | | |
| ICF15-4-13 | 1/2" SW | 027L4529 | \$1,453 | | |
| ICF20-4-13 | 3/4" SW | 027L3094 | \$1,622 | | |

^{*} Price does not include coil. Coil must be ordered separately; see page 24 for coil ordering.

| Application #90 has the following valve functions: Stop valve, strainer, solenoid w/ man. Stem, pulse expansion valve, stop valve | | | | | |
|--|---------|----------|---------|--|--|
| Type Connection Part No.* List Price * | | | | | |
| ICF20-6-90 | 3/4" SW | 027L3055 | \$1,710 | | |

^{*} Price does not include coil. Coil must be ordered separately; see page 24 for coil ordering.



Application #14 is typically used for: Direct expansion applications with motorized valves

| Application #14 has the following valve functions: Stop valve, strainer, motorized ICM valve, stop valve | | | | | |
|--|-------------------------|-----------------|--------------------|----------------------|----------------------|
| | | Part Nu | mber * | List F | Price * |
| Type | Connection Type/Size | Valve w/o Motor | ICAD 600A Motor | Valve w/o Motor * | ICAD 600A Motor * |
| ICF20-4-14MA | 3/4" SW | 027L3099 | 027X0166 | \$2,150 | \$1,996 |
| ICF20-4-14MB | 1" SW | 027L3106 | 027X0166 | \$2,258 | \$1,996 |
| ICF20-4-14MC | 1" SW | 027L3112 | 027X0166 | \$2,258 | \$1,996 |
| ICF20-4-14MC | 11⁄4" SW | 027L3113 | 027X0166 | \$2,365 | \$1,996 |
| ICF25-4-14MA | 1" SW | 027L4104 | 027X0166 | \$2,608 | \$1,996 |
| ICF25-4-14MA | 11/4" SW | 027L4109 | 027X0166 | \$2,739 | \$1,996 |
| ICF25-4-14MA | 1½" SW | 027L4140 | 027X0166 | \$2,925 | \$1,996 |
| ICF25-4-14MB | 11/4" SW | 027L4114 | 027X0166 | \$2,739 | \$1,996 |
| ICF25-4-14MB | 1½" SW | 027L4118 | 027X0166 | \$2,925 | \$1,996 |

^{*} ICF valve and ICAD 600A motor actuator must be ordered separately when ordering. ICAD 600A motor actuator is required for the motor valve to operate.

Application #18 is typically used for: Pumped liquid lines feeding 2 evaporators having separate HEVs

| Application #18 has the following valve functions: Stop valve, strainer, solenoid, stop/check valve | | | | | |
|--|---------|----------|---------|--|--|
| Type Connection Part No.* List Price * | | | | | |
| ICF20-4-18H | 3/4" SW | 027L3353 | \$1,490 | | |
| ICF20-4-18H | 1" SW | 027L3354 | \$1,565 | | |
| ICF25-4-18 | 1¼" SW | 027L4137 | \$1,883 | | |
| ICF25-4-18 | 1½" SW | 027L4138 | \$2,049 | | |

^{*} Price does not include coil. Coil must be ordered separately; see page 24 for coil ordering.

Application#41 is used for gas-powered suction stop valve applications

| Application #41 has the following valve functions: Stop valve, gas-powered ICLX valve, stop valve (NO strainer) | | | | | |
|--|-------------------------|------------|--------------|--|--|
| Туре | Connection Type/Size | Part No. * | List Price * | | |
| ICF 50-4-41 | 1½" SW | 027L5022 | \$3,047 | | |
| ICF 30-4-41 | 2" SW | 027L5024 | \$3,198 | | |
| ICE CE 2 41 | 21/2" BW | 027L6522 | \$3,893 | | |
| ICF 65-3-41 | 3" BW | 027L6524 | \$4,086 | | |

^{*} Price does not include coils. Coils must be ordered separately; see page 24 for coil ordering.





Application #42 is used for regulator valve applications

| Туре | ICS Port Size | ICS Variation (1) | Connection Type/Size | Part No. * | List Price * |
|-------------------|---------------|-------------------|-------------------------|------------|--------------|
| ICF50-4-42S32-STD | 11⁄4" | STD | 1½" | 148X1506 | \$2,396 |
| | | | 2" | 148X1510 | \$2,501 |
| ICF50-4-42S32-S | 11/4" | S | 1½" | 148X1507 | \$2,543 |
| | | | 2" | 148X1511 | \$2,648 |
| ICF50-4-42S32-B | 11/4" | В | 1½" | 148X1508 | \$2,543 |
| | | | 2" | 148X1512 | \$2,648 |
| ICF50-4-42S32-D | 11/4" | D | 1½" | 148X1509 | \$2,837 |
| | | | 2" | 148X1513 | \$2,942 |
| ICF50-4-42S40-STD | 1½" | STD | 11/2" | 148X1515 | \$2,446 |
| | | | 2" | 148X1520 | \$2,551 |
| ICF50-4-42S40-S | 1½" | S | 11/2" | 148X1516 | \$2,593 |
| | | | 2" | 148X1521 | \$2,698 |
| ICF50-4-42S40-B | 11/2" | В | 1½" | 148X1517 | \$2,593 |
| | | | 2" | 148X1522 | \$2,698 |
| ICF50-4-42S40-D | 1½" | D | 1½" | 148X1518 | \$2,887 |
| | | | 2" | 148X1523 | \$2,992 |
| ICF65-3-42S40-STD | 11/2" | STD | 2½" | 148X1534 | \$3,096 |
| ICF65-3-42S40-S | 11/2" | S | 2½" | 148X1535 | \$3,243 |
| ICF65-3-42S40-B | 11/2" | В | 21/2" | 148X1536 | \$3,243 |
| ICF65-3-42S40-D | 11/2" | D | 2½" | 148X1537 | \$3,537 |
| ICF50-4-42S50-STD | 2" | STD | 2" | 148X1501 | \$2,745 |
| ICF50-4-42S50-S | 2" | S | 2" | 148X1502 | \$2,892 |
| ICF50-4-42S50-B | 2" | В | 2" | 148X1503 | \$2,892 |
| ICF50-4-42S50-D | 2" | D | 2" | 148X1504 | \$3,186 |
| ICF65-3-42S65-STD | 21/2" | STD | 2½" | 148X1526 | \$3,408 |
| | | | 3" | 148X1530 | \$3,564 |
| ICF65-3-42S65-S | 21/2" | S | 2½" | 148X1527 | \$3,555 |
| | | | 3" | 148X1531 | \$3,711 |
| ICF65-3-42S65-B | 21/2" | В | 2½" | 148X1528 | \$3,555 |
| | | | 3" | 148X1532 | \$3,711 |
| ICF65-3-42S65-D | 2½" | D | 2½" | 148X1529 | \$3,849 |
| | | ' | 3" | 148X1533 | \$4,005 |



Application #43 is typically used for: Motorized regulating valve applications

| Application #43 has the following valve functions: Stop valve, motorized ICM valve, stop valve (NO strainer) | | | | | | | | |
|--|-------------------------|-----------------|---------------------|----------------------|-----------------------|--|--|--|
| Туре | Connection Type/Size | Part Number * | | List Price * | | | | |
| | | Valve w/o Motor | ICAD 1200A Motor | Valve w/o Motor * | ICAD 1200A Motor * | | | |
| ICF 50-4-43MB | 1-1/2" SW | 027L5018 | 027X0166 | \$3,039 | \$2,268 | | | |
| ICF 50-4-43MB | 2" SW | 027L5020 | 027X0166 | \$3,463 | \$2,268 | | | |
| ICF 65-3-43MB | 2-1/2" BW | 027L6518 | 027X0166 | \$4,998 | \$2,268 | | | |
| ICF 65-3-43MB | 3" BW | 027L6520 | 027X0166 | \$5,448 | \$2,268 | | | |

^{*} ICF valve and ICAD 1200A motor actuator must be ordered separately when ordering. ICAD 1200A motor actuator is required for the motor valve to operate. Coil price not included.



DLP-032017 Page 8

148X1533

\$4,005

^{*} Price does not include coil. Coil must be ordered separately; see page 24 for coil ordering.